### Chapter 15.49 SIGN STANDARDS AND REGULATION

#### Sections:

15.49.100.

15.49.110.

15.49.010.	Intent and purpose.
15.49.015.	Definitions.
15.49.020.	Design standards for signs.
15.49.030.	Exemptions and special provisions.
15.49.040.	Signs on public property.
15.49.050.	Signs prohibited or conditionally approved.
15.49.060.	Sign permit required.
15.49.070.	Permission of property owner.
15.49.080.	Design and placement of sign structures.
15.49.090.	Maintenance of signs and sign structures.

Removal of signs and sign structures

#### 15.49.010. Intent and purpose.

Enforcement.

- A. The purpose of this chapter is to regulate the size, height, design, quality of materials, construction, illumination, location, and maintenance of all signs and sign structures in the city. The provisions of this chapter shall apply to all signs on private property either placed in the ground or installed or placed on the outside of a building or structure. These provisions shall also apply to a sign placed on the inside of a building or structure so as to be viewed from the outside.
- B. Any sign or sign structure erected, constructed or placed in violation of the provisions of this chapter shall be declared to be a public nuisance.

(Ord. 2982, 2001)

#### 15.49.015. **Definitions.**

A. Whenever used in this chapter, the following words, phrases, and terms shall have the meaning set forth in this subsection.

#### 1. General:

**SIGN** means any device which gives direction to, names or attracts attention to any real or personal property that is for rent or sale or any location where such renting or sale is conducted or any service is performed, or any representation, such as a picture, writing, emblem, pennant or other device which is in the nature of an announcement, statement, direction or advertisement.

**SIGN AREA** means the entire area within a single continuous perimeter formed by no more than eight straight lines enclosing the extreme limits of writing, representations, emblem or any figure of similar character. Where a sign has two or more faces, the area of all faces shall be included in determining the area of the sign, except that where two such faces are placed back to back and are at no point more than three feet from one another, the area of the sign shall be taken as the area of one face if the two faces are of equal area, or as the area of the larger face if the two faces are of unequal area.

**SIGN PERMIT** means a permit issued by the Development Services Department that allows the erection, installation or placement of a sign or sign structure on property in compliance with the design standards specified within this chapter.

**SIGN PROGRAM** means a document submitted by a property owner of a commercial or industrial development having multi-tenant buildings, in which a set of specifications regulates the design and location of signs to identify the development and individual tenant spaces on the property.

**SIGN STRUCTURE** means any structure, device or part thereof used for the purpose of displaying or supporting signs.

#### 2. Sign types:

**BANNER** means a graphic on a pliable material that is hung on a building by a rope, cord, cable or other means as a non-permanent attachment.

**BILLBOARD** means an outdoor advertising sign supported by posts or standards and braces set into the ground or attached to a building or other structure and containing advertising copy on the sign face not related to a use, structure or activity located on the same site.

**BUILDING SIGN** means a sign permanently attached to or projecting from a building wall where no part of the sign face extends above the roof line or parapet of the building. A permanent building sign also includes a sign painted on the exterior wall of a building.

**DIRECTIONAL SIGN** means a sign that provides information and direction for vehicular or pedestrian movement.

**ELECTION/CAMPAIGN SIGN** means a sign or placard related to the vote in a near-future election of candidates and/or issues.

**FLASHING SIGN** means any lighted sign that flashes, animates, scintillates, consists of "running lights", or consists of illuminated changing information.

**FREEWAY SIGN** means a freestanding, pole-type structure that is located on property so that it can be viewed from a freeway.

**IDENTIFICATION SIGN** means a sign that identifies a facility, complex or a development on property with a residential zone classification.

**MARQUEE SIGN** means a sign that is designed to allow for changeable copy or graphics, typically announcing an event, service, or special feature.

**MONUMENT SIGN** means a freestanding sign directly supported by a foundation, planter or pedestal base affixed to the ground. A sign on a fence or a non-building wall is a type of monument sign.

*OFF-SUBDIVISION DIRECTIONAL SIGN* means an off-site sign providing only directional information to a subdivision, the name of the development, developer or both, and the price range of the residential subdivision offered for sale.

**ON-SITE SUBDIVISION SIGN** means a sign that is placed on the site of a subdivision and advertises the sale of property within the subdivision.

**POLE SIGN** means a freestanding sign wholly supported by poles, columns or other upright that are affixed to the ground.

**PORTABLE SIGN** means any sign that is not permanently affixed to the ground or to a structure, that can be moved from place to place on public or private property, that is placed in such a manner as to be conspicuous from a public highway and that solicits patronage to a specific business or group of businesses. Portable signs may include, but are not limited to, inflatable devises, balloons, kites, A-frames or similar structures displayed on the ground, on a building or any vehicle.

**PROJECTING SIGN** means a sign installed so that it projects from and is perpendicular to a building wall.

**REAL ESTATE FOR SALE OR LEASE SIGN** means a sign that advertises the real property upon which it is located is for sale, rent or lease.

**ROOF SIGN** means a sign attached to the roof of a building or attached to the side or projecting through the roof of a building where more than fifty percent of the sign face extends above the roofline or parapet of the building. In the case of variable or irregular roof heights, the roofline shall be the minimum height under which half the building area is covered by roof.

**ROTATING SIGN** means a sign that turns or revolves by mechanical or electrical means.

**SERVICE STATION SIGNS** mean all signs, graphics or other advertising devices associated with service stations, mini-markets or other businesses located on a site where service station activity or gasoline/motor fuel sales exist.

**TEMPORARY SIGN** means a sign painted on glass or placed on the inside of a building or structure so as to be viewed from the outside. (Ord. 2982, 2001)

#### 15.49.020. Design standards for signs.

- A. Signs proposed within the Central Business District shall be governed by Table 15.49.020 and by Sections II.E and III.A of the "Fullerton CBD Standards for Private Improvements" as adopted by the Fullerton City Council, whichever is the more restrictive.
- B. Signs proposed for a commercial or industrial property with multiple tenants shall be governed by Table 15.49.020 and by any sign program that has been submitted and approved by the Director of Development Services, whichever is the more restrictive.
  - C. In all other cases Table 15.49.020 shall apply.

(Ord. 2982, 2001: Ord. 3026, 2003).

## 15.49.030. Exemptions and special provisions.

- A. The following signs shall be exempt from the design standards specified within this chapter. A building permit may still be required for the construction, erection or relocation of the sign, depending on its size, height and whether it will be lighted.
- 1. Name plates or occupational signs not exceeding two square feet in area, containing only the name and occupation or profession of the occupants of the premises on which the sign is displayed.
- 2. Bulletin boards or identification signs not exceeding 35 square feet in area and not exceeding ten feet in height on the premises of public, charitable or religious institutions.
  - 3. A sign relating to or identifying construction projects, during the construction period.
  - 4. Memorial signs or tablets.
- 5. Signs located inside a building, except where the sign is painted on an exterior window or door, or so placed as to be viewed primarily from outside a building.
  - 6. Traffic, governmental and public utility signs required or authorized by law.
  - 7. Legal notices.
  - 8. Railroad crossing signs.
- 9. A sign relating to or identifying a function sponsored by a public agency or non-profit organization, provided that the sign is not installed any earlier than 30 days prior to the event and is removed within three days after the event.
- B. The Planning Commission shall have authority to grant a Variance from the design standards specified within this chapter when, because of special circumstances, the compliance with said provisions would deprive the property owner or tenant of privileges commonly enjoyed by other properties in the same vicinity and zone. In order for the Planning Commission to grant a Variance, the applicant must meet the requirements of state law pursuant to Chapter 15.68 of this title.

(Ord. 2982, 2001)

#### 15.49.040. Signs on public property.

- A. Except as otherwise authorized by the City Council or applicable laws, no person shall place, erect, construct or relocate any sign or other similar device on public buildings or public property, or on, over or across any public street, sidewalk, crosswalk, curb, or upon any tree, or power, telephone or telegraph pole, or upon any fire alarm fixture, police telephone, street lighting installation or parking meter. The Director of Maintenance Services may summarily remove any sign in violation of the provisions of this section.
- B. Notwithstanding the foregoing, those signs proposed on or over public rights-of-way within the Central Business District that meet all requirements of the Fullerton Central Business District Design Guidelines as adopted by the City Council, are permitted in accordance with the provisions thereof.

(Ord. 2982, 2001)

#### 15.49.050. Signs prohibited or conditionally approved.

- A. The following signs shall be prohibited:
- 1. Any sign that confuses traffic such as any advertising sign visible from any street that makes use of the words "STOP," "GO," "LOOK," "DANGER," and any sign that may momentarily or otherwise blind or substantially impair the vision of an operator of a motor vehicle upon any street or otherwise constitutes a traffic hazard.
  - 2. Any off-site advertising, including a billboard, except as provided herein for an off-site directional sign.
  - 3. A rotating sign.
- 4. A portable sign on any property, except A-frame signs within the Central Business District. A-frame signs located within the Central Business District shall conform to adopted design criteria and shall be permitted by a special sign encroachment permit.
- 5. Any inflatable device and sign designed to be flown, including balloons, strings of balloons, kites, and aerial signs.
- B. A flashing sign shall be prohibited unless approved by a Conditional Use Permit pursuant to Chapter 15.70 of this title.

(Ord. 2982, 2001)

#### 15.49.060. Sign permit required.

- A. Signs that require a permit:
- 1. No sign or sign structure, as defined in this chapter and not exempt there from, shall be erected, constructed or relocated unless a sign permit has been issued by the Director of Development Services, except that the following types of signs do not require a sign permit:
- a. A temporary sign intended to be displayed for a short period of time not to exceed 30 days in any sixmonth period that otherwise conforms to the provisions of this chapter.
  - b. A sign painted on a wall, window or door of buildings.
  - c. A change of copy to an existing sign structure already installed or erected.
  - d. An on-site directional sign under six feet in height.
  - e. A real estate for sale or lease sign.
  - f. An election/campaign sign.
- 2. The installation, hanging or any placement of a banner, streamers or pennants on property, other than inside of a building, shall require the issuance of a sign permit.
  - B. Issuance and expiration of sign permit:
    - 1. A fee shall be charged for the issuance of a sign permit as established by City Council resolution.
- 2. It shall be the duty of the Director of Development Services or his designated representative, upon the filing of an application for a sign permit, to review the application, such plans, specifications and other information furnished by the applicant. If the applicant has complied with all of the provisions of this chapter and the proposed sign and sign structure are in compliance with all of the regulations, a sign permit shall be issued to the applicant.

3. If no construction, erection, installation, or relocation of the sign authorized by the permit has commenced within six months from the date of the issuance of the sign permit, the permit shall expire. This limitation shall be stated on the sign permit.

(Ord. 2982, 2001)

#### 15.49.070. Permission of property owner.

- A. No sign permit shall be issued for the construction, erection, installation or relocation of any pole or monument sign unless the owner of the property makes the request or unless written consent of the property owner is documented.
- B. A sign permit that is issued for a sign and/or a sign structure shall allow the Director of Development Services or an authorized agent to enter upon such property at all reasonable times for the purpose of carrying out the provisions of this chapter.

(Ord. 2982, 2001)

#### 15.49.080. Design and placement of sign structures.

#### A. Design:

- 1. All sign structures shall be designed using working stresses and loading as specified in the latest edition of the Uniform Building Code, except that design wind loading shall be not less than 20 pounds per square foot.
- 2. A factor of safety of two against over-turning shall be used for a sign that is designed to be stabilized by the dead load of the sign or of its attachments.
- 3. Sufficient clearances shall be maintained between a sign structure and an adjacent building to accommodate maximum design deflections, unless the sign is attached to the building structure. No building shall be used for the support or anchorage of a sign, unless the building is designed and constructed to support the additional load.
- 4. The plans and specifications for a sign structure containing a surface area in excess of 50 square feet projected on a vertical plane shall be prepared and certified to contain all required safety features by an engineer or architect, and such a structure shall be installed by a contractor, all licensed with the State of California.
- 5. A sign having in connection therewith any electrical wiring shall be designed and inspected in conformance with the provisions of the Fullerton Electrical Code (Chapter 14.15). Each such sign shall have firmly affixed thereon a nameplate that shall state the manufacturer's name or trademark, the voltage, amperage and total wattage, and each such sign shall display the Underwriters' Laboratory label.

#### B. Obstruction by signs:

- 1. No portion of a sign or its supporting structure shall obstruct any fire escape, stairway or standpipe, exterior door or required exit, and no sign or its supporting structure shall be attached to or supported by any fire escape.
- 2. No portion of any sign or its supporting structure shall interfere with or obstruct any emergency exit or any legally required light and ventilation.

(Ord. 2982, 2001)

#### 15.49.090. Maintenance of signs and sign structures.

- A. All signs and sign structures shall be kept free of any material including unauthorized election/campaign signs and other signs not approved by the original or subsequent permits.
- B. The area beneath and about the base of all signs and sign structures shall be kept free of all weeds, rubbish, and inflammable waste material by the owner of the sign and sign structure.

(Ord. 2982, 2001)

#### 15.49.100. Removal of signs and sign structures.

- A. The Director of Development Services shall remove, or cause to be removed, any sign, including the sign structure, that advertises a business conducted, or a product or service obtainable on the premises upon which the sign is located, within 90 days after such business is closed or terminated, or the products or services are no longer obtainable on such premises.
- B. To cause a sign to be removed, the Director of Development Services shall send a written notice ordering that the sign and sign structure be removed within 90 days. An additional notice shall be sent within 30 days of the removal date.
- C. The order of removal may be appealed to the City Council when so filed with the City Clerk. The City Council shall, at an advertised public hearing, receive any evidence offered pertaining to the request for an order of removal and shall make findings of fact of its determinations, decisions and order.

(Ord. 2982, 2001)

#### **15.49.110.** Enforcement.

A sign or sign structure that is found to be in violation of this chapter is hereby declared to be a public nuisance and as such shall be subject to the provisions of Chapter 6.01 of the Fullerton Municipal Code.

(Ord. 2982, 2001)

Table 15.49.020 Design Standards for Allowable Signs by Zone Classification

Com	Commercial and Industrial Zone Classifications – Service Station Signs					
	Туре	Location	Number	Maximum Size	Height Restrictions	Other Limitations
STEP #1: SELECT EITHER A POLE OR MONUMENT IDENTIFICATION SIGN						
A	Pole Identification Sign	Within the corner radius landscaped area	One	50 square feet Two faces maximum	20' from street grade	See Notes 1-7 below

A	Monument Identification Sign	Within the corner radius landscaped area	One	50 square feet Two faces maximum	6' from average grade at base but no higher than 8' from street grade	See Notes 1-7 below
STE	P #2: SELECT UP	TO 200 SQUARI	E FEET OF TH	E FOLLOWING	ADDITIONAL S	IGNAGE:
В	CANOPY SIGN	On canopy fascia or awning	N/A	50 sq. ft. per canopy	N/A	
С	PUMP ISLAND SIGN	On canopy fascia or gas pumps	N/A	50 sq. ft. per pump island	N/A	
D	FUEL PRICING SIGN	Along street frontage in approved landscape area	One per street frontage	20 sq. ft. Two faces maximum	6 feet if monument- type; unspecified if pole- mounted	See Notes 8- 15 below
Е	POLE- MOUNTED SIGN	Along street frontage in approved landscape area	One per street frontage	12 sq. ft. Two faces maximum		See Notes 8- 15 below
F	OTHER SIGNS	Other signs are allowed, but they are counted toward the maximum allowance of two hundred square feet.				

Notes

#### **GENERAL**

- 1. All signage must be architecturally consistent with the overall building theme, and, if lighted, shall be internally illuminated.
- 2. All service station signage shall be installed in accordance with the provisions of the California State Business and Professions Code Sections 13530 through 13536, inclusive, including any amendments hereafter passed.
- 3. Directional signs are permitted. Such signs shall have a maximum height of 3 feet.
- 4. No portable freestanding signs are permitted on site.

#### POLE AND MONUMENT IDENTIFICATION SIGNS

- 5. Identification signs may only bear the name and/or logo of the on-site business(es) and integrally incorporated gasoline pricing information.
- 6. No other signage may be displayed on or from the identification sign structure.
- 7. Identification signs may be internally illuminated. Identification signs shall not be externally illuminated.

#### **FUEL PRICING SIGNS**

- 8. Select either a monument or pole pricing sign for each frontage. Only one pricing sign (monument or pole) is permitted per street frontage.
- 9. A monument type pricing sign must be permanently affixed to the ground and located in an approved landscape area.
- 10. Fuel pricing signs may have up to two faces.

#### POLE-MOUNTED SIGNS

- 11. Select either a monument or pole pricing sign for each frontage. Only one pricing sign (monument or pole) is permitted per street frontage.
- 12. Sign must be integral with on-site lighting standards.
- 13. Pole-mounted signs may be used for either fuel pricing or other advertising purposes relevant to the operation(s) of the site.
- 14. If fuel pricing is displayed on a pole-mounted sign, monument signs may not be used for other advertising.
- 15. Pole-mounted signs may have up to two faces.

# Table 15.49.020 (Cont'd) Design Standards for Allowable Signs by Zone Classification

Commercial and Ind	ustrial Zone Classificati	ions
Sign Type	Standards	
POLE SIGN	Maximum Number:	One pole sign for every 300 feet of property frontage along an Arterial Highway as defined by the General Plan. A property along an Arterial Highway, as defined by the General Plan, with less than 300' lineal feet is allowed one pole sign.
2	Maximum Size and Allowance of Sign:	1/2 square foot of sign area for every lineal foot of property frontage along an Arterial Highway, but not to exceed 100 square feet PLUS 2 square feet for each lineal foot that the sign is set back from property line, but not to exceed 100 additional square feet.
	Maximum Height:  Other Limitations:	No higher than 20 feet at property line PLUS 1/3 lineal foot of height for each lineal foot sign is set back from the property line up to a maximum of 37 feet.  Note: Height is measured from average grade at sign base to top of sign.
		The minimum distance between a pole sign and another pole or monument sign on the same property is 50 feet.
MONUMENT SIGN	Maximum Number:	One monument sign for every 300 feet of property frontage along a public street. A property with less than 300' lineal feet along a public street is allowed one monument sign.
2	Maximum Size and Allowance of Sign:	1/2 square foot of sign area for every lineal foot of property frontage along a public street, but not to exceed 100 square feet PLUS 2 square feet for each lineal foot that a sign is set back from the property line, but not to exceed 100 additional square feet.

		1
	Maximum Height:	8 feet from average grade at sign base.
	Other Limitations:	The minimum distance between a monument sign and another pole or monument sign on the same property is 50 feet.
BUILDING SIGN	Maximum Number:	Unlimited. The sign allowance for each face of the building may be divided into multiple signs.
	Maximum Size and Allowance of Sign:	Main entrance side: Three square feet for each lineal foot of building face where the main entrance is located. Sides other than main entrance: One square foot for each lineal foot of building face where sign is located.
	Maximum Height:	A building sign cannot extend above the roof line of the building.
	Other Limitations:	<ol> <li>Unused allowance may not be used on other sides of the building.</li> <li>More restrictive standards may be specified by a Sign Program for a property.</li> <li>Signs painted on building walls must comply with standards.</li> </ol>
PROJECTING SIGN	Maximum Number:	Unlimited.
	Maximum Size and Allowance of Sign:	The sign allowance is calculated in the same manner as a building sign.
?	Maximum Height:	The sign may not extend above the roof line of the building. The minimum height above a public sidewalk is 8 feet; however, if the sign extends more than 2/3 the distance from the property line to the curb line, or if there is no public sidewalk, the minimum height above the grade is 12 feet.
FREEWAY SIGN	Maximum Number:	One per property. The property must have frontage along right-of-way of a freeway.
	Maximum Size and Allowance of Sign:	250 square feet.
2	Maximum Height:	50 square feet. Note: Height is measured from average grade at sign base to top of sign.
	Other Limitations:	1. Additional size or height requires the approval of a Conditional Use Permit.

		2. A flashing readerboard sign requires the approval of a Conditional Use Permit.
ROOF SIGN	Maximum Number:	One per building.
	Maximum Size and Allowance of Sign:	Sign allowance is calculated in the same manner as a building sign.
2	Maximum Height:	10 feet above highest point of roof line PLUS one foot for every foot of building height over 10 feet, with a maximum of 20 feet.
	Other Limitations:	1. Roof signs are not allowed in conjunction with pole or monument signs on the same property.  2. To determine from which side of the building the roof sign allowance will be calculated, draw two imaginary lines through opposite corners of the building. The wall that forms the base of the triangle of the quadrant where the roof sign would be located determines the allowance for the roof sign.
TEMPORARY SIGN	Maximum Number:	Unlimited.
	Maximum Size and Allowance of Sign:	Not to exceed 33% of pane of window glass where sign is to be placed.
2	Maximum Height:	Not applicable.
	Other Limitations:	Sign allowed for a maximum of 30 days in any six-month period.
PORTABLE A-FRAME SIGN	Not allowed unless the property is within the Central Business District. A property within the Central Business District may be issued a permit for an A-frame sign only if the City Council has adopted guidelines for this type of sign.	
ON-SITE DIRECTIONAL	Maximum Number:	Unlimited.
	Maximum Size and Allowance of Sign:	15 square feet.

	Maximum Height:	10 feet.	
	Other Limitations:	No advertising copy is allowed.	
OFF-SITE DIRECTIONAL	No standards specified. Permit.	Requires approval of a Conditional Use	
BANNERS, PENNANTS AND FLAGS	These advertising devices are allowed once for 30 consecutive days within a six-month period. A banner must be attached to a building and may not be hung from a tree or trees, fencing or other structures.		
REAL ESTATE:	Maximum Number:	One per street frontage.	
FOR SALE OR LEASE	Maximum Size and Allowance of Sign:	Unspecified	
	Maximum Height:	15 feet.	
Office - Professional	Zone Classification		
POLE SIGN	Maximum Number:  Maximum Size and Allowance of Sign:	One pole sign for every 300 feet of property frontage along an Arterial Highway as defined by the General Plan. A property along an Arterial Highway as defined by the General Plan with less than 300' lineal feet is allowed one pole sign.	
2	Maximum Height:	1/2 square foot of sign area for every lineal foot of property frontage along an Arterial Highway, but not to exceed 50 square feet.	
	Other Limitations:	10 feet from average grade at sign base. Note: Height is measured from average grade at sign base to top of sign.	
		<ol> <li>The minimum distance between a pole sign and another pole or monument sign on the same property is 50 feet.</li> <li>The sign must be set back at least 3 feet from the property line.</li> </ol>	
MONUMENT SIGN	Maximum Number:	One monument sign for every 300 feet of property frontage along a public street. A property with less than 300' lineal feet along a public street is allowed one monument sign.	
?	Maximum Size and Allowance of Sign:	1/2 square foot of sign area for every lineal foot of property frontage along a public street, but not to exceed 50 square feet.	
	Maximum Height:	8 feet from average grade at sign base.	
	Other Limitations:	1. The minimum distance between a	

		monument sign and another pole or monument sign on the same property is 50 feet.  2. The sign must be set back at least 3 feet from the property line.
BUILDING SIGN	Maximum Number:	Unlimited. The sign allowance for each face of the building may be divided into multiple signs.
2	Maximum Size and Allowance of Sign:  Maximum Height:	Main entrance side: Three square feet for each lineal foot of building face where the main entrance is located.  Sides other than main entrance: One square foot for each lineal foot of building face where sign is located.
	220.8	A building sign cannot extend above the roof line of the building.
	Other Limitations:	<ol> <li>Unused allowance may not be used on other sides of the building.</li> <li>More restrictive standards may be specified by a Sign Program for a property.</li> <li>Signs painted on building walls must comply with standards.</li> </ol>
PROJECTING SIGN	Maximum Number:	Unlimited.
	Maximum Size and Allowance of Sign:	The sign allowance is calculated in the same manner as a building sign.
?		
	Maximum Height:	The sign may not extend above the roof line of the building. The minimum height above a public sidewalk is 8 feet; however, if the sign extends more than 2/3 the distance from the property line to the curb line, or if there is no public sidewalk, the minimum height above the grade is 12 feet.
FREEWAY SIGN	Maximum Number:	One per property. The property must have frontage along right-of-way of a freeway.
	Maximum Size and Allowance of Sign:	250 square feet.
?	Maximum Height:	50 square feet. Note: Height is measured from average grade at sign base to top of sign.
	Other Limitations:	1. Additional size or height requires the

		approval of a Conditional Use Permit.  2. A flashing readerboard sign requires the approval of a Conditional Use Permit.
ROOF SIGN	Maximum Number:	One per building.
	Maximum Size and Allowance of Sign:	Sign allowance is calculated in the same manner as a building sign.
2	Maximum Height:	10 feet above highest point of roof line PLUS one foot for every foot of building height over 10 feet, with a maximum of 20 feet.
	Other Limitations:	<ol> <li>Roof signs are not allowed in conjunction with pole or monument signs on the same property.</li> <li>To determine from which side of the building the roof sign allowance will be calculated, draw two imaginary lines through opposite corners of the building. The wall that forms the base of the triangle of the quadrant where the roof sign would be located determines the allowance for the roof sign.</li> </ol>
TEMPORARY SIGN	Maximum Number:	Unlimited.
	Maximum Size and Allowance of Sign:	Not to exceed 33% of pane of window glass where sign is to be placed.
?	Maximum Height:	Not applicable.
	Other Limitations:	Sign allowed for a maximum of 30 days in any six-month period.
PORTABLE A-FRAME SIGN	A property within the Ce	roperty is within the Central Business District. entral Business District may be issued a permit if the City Council has adopted guidelines for
?		
ON-SITE	Maximum Number:	Unlimited.
DIRECTIONAL SIGN	Maximum Size and	15 square feet.

	Allowance of Sign:		
	Maximum Height:	10 feet.	
	Other Limitations:	No advertising copy is allowed.	
OFF-SITE DIRECTIONAL SIGN	No standards specified. Permit.	Requires approval of a Conditional Use	
BANNERS, PENNANTS AND FLAGS	These advertising devices are allowed once for 30 consecutive days within a six-month period. A banner must be attached to a building and may not be hung from a tree or trees, fencing or other structures.		
REAL ESTATE: FOR SALE OR	Maximum Number:	One per street frontage.	
LEASE SIGN	Maximum Size and Allowance of Sign:	Unspecified	
	Maximum Height:	15 feet.	
Residential Zone Class	ssification		
IDENTIFICATION SIGN	Maximum Number:	Two, with the choice of pole, monument or building type signs.	
	Maximum Size and Allowance of Sign:	Total area for all signs may not exceed 30 square feet.	
	Maximum Height:	6 feet for a pole or monument sign.	
ON-SITE DIRECTIONAL	Maximum Number:	Unlimited.	
SIGN	Maximum Size and Allowance of Sign:	12 square feet.	
	Maximum Height:	5 feet.	
ON-SITE AND OFF- SITE	Maximum Number:	5 located within 5 miles of subdivision.	
DIRECTIONAL SIGN FOR SUBDIVISION	Maximum Size and Allowance of Sign:	50 sq. ft. per sign, with a total of 200 square feet.	
SODIVISION	Maximum Height: Other Requirements:	<ol> <li>A cash bond of \$100 shall be posted to ensure removal.</li> <li>The sign shall be removed after two years or when last unit is sold, whichever occurs first.</li> </ol>	

		3. Off-site directional signs shall be located at the intersection of two arterial streets or where local street entering tract intersects with an arterial street.
REAL ESTATE:	Maximum Number:	One per street frontage.
FOR SALE OR LEASE SIGN	Maximum Size and Allowance of Sign:	12 square feet.
	Maximum Height:	6 feet.
REAL ESTATE: FLAGS AND PENNANTS	Maximum Number:	Three, each no higher than 6 feet OR four, each no higher than 4 feet.
ILMANIS	Maximum Size and Allowance of Sign:	8 square feet.
	Maximum Height:	See above.
	Other Limitations:	Allowed for a maximum of 6 months.
REAL ESTATE:	Maximum Number:	Four per open house.
OFF-SITE OPEN HOUSE SIGN	Maximum Size and Allowance of Sign:	3 square feet.
	Maximum Height:	4 feet.
	Allowable Location:	Placed on private property with permission of property owner or placed within parkway of public right-of-way.
	Other Limitations:	Allowed for a maximum of 10 hours within a 24-hour period.

#### Disclaimer:

This Code of Ordinances and/or any other documents that appear on this site may not reflect the most current legislation adopted by the Municipality. American Legal Publishing Corporation provides these documents for informational purposes only. These documents should not be relied upon as the definitive authority for local legislation. Additionally, the formatting and pagination of the posted documents varies from the formatting and pagination of the official copy. The official printed copy of a Code of Ordinances should be consulted prior to any action being taken.

For further information regarding the official version of any of this Code of Ordinances or other documents posted on this site, please contact the Municipality directly or contact American Legal Publishing toll-free at 800-445-5588.

© 2011 American Legal Publishing Corporation techsupport@amlegal.com 1.800.445.5588.